OWNER'S MANUAL



Legacy™ Charcoal Grill

Model #2190

Keep your receipt with this manual for Warranty.

This Page Intentionally Left Blank



TABLE OF CONTENTS

Safety Warnings & Warranty	. A-1
Assembly Instructions	B-1
Product Usage	C-1
Recipes	D-1
Accessories	E-1

IMPORTANT SAFETY WARNINGS

READ ALL SAFETY WARNINGS AND INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING AND OPERATING YOUR GRILL

Read the following instructions carefully and be sure your appliance is properly assembled, installed, and maintained. Failure to follow these instructions may result in serious bodily injury and/or property damage.

- Grill is for use outdoors and in well-ventilated areas, only.
- Use caution when assembling and operating your grill to avoid scrapes or cuts from sharp edges.
- Do not use gasoline, kerosene, or alcohol to light charcoal. Use of any of these or similar products could cause an explosion possibly leading to severe bodily injury.
- Do not leave a lit grill unattended. Keep children and pets away from grill at all times.
- Use caution when moving grill to prevent strains.
- Keep grill at least 12 feet from any combustible material (decks, buildings, fences, trees, bushes, etc).
- When adding charcoal and/or wood, use extreme caution.
- Never move grill when it is in use or when it contains hot coals or ashes.
- Do not place grill near flammable liquids, gases, or where flammable vapors may be present.
- When cooking with oil/grease, do not allow the oil/grease to exceed 350°F (177°C). Do not store or use extra cooking oil in the vicinity of this or any other grill.
- Use caution since flames can flare-up when fresh air suddenly comes in contact with fire.
- When opening the lid, keep hands, face, and body safe from hot steam and flame flare-ups.
- WARNING: To avoid injuries, gloves or other protective articles should be used when touching the ash pan hangers.
- Do not exceed a temperature of 400°F.
- Do not allow charcoal and/ or wood to rest on the walls of grill. Doing so will greatly reduce the life
 of the grill.
- Always wear grill gloves to protect hands from burns. Avoid touching hot surfaces.



WARNING: FUELS USED IN WOOD OR CHARCOAL BURNING APPLIANCES, AND THE PRODUCTS OF COMBUSTION OF SUCH FUELS, CAN EXPOSE YOU TO CHEMICALS INCLUDING CARBON BLACK, WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, AND CARBON MONOXIDE, WHICH IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. For more information go to: www.P65Warnings.ca.gov.

ADVERTENCIA: LOS COMBUSTIBLES USADOS EN EQUIPOS PARA QUEMAR MADERA O CARBÓN, ASÍ COMO LOS PRODUCTOS DE TAL COMBUSTIÓN, PUEDEN EXPONERTE A SUSTANCIAS QUÍMICAS, ENTRE ELLAS EL NEGRO DE HUMO Y EL MONÓXIDO DE CARBONO, QUE EL ESTADO DE CALIFORNIA RECONOCE COMO CAUSA, RESPECTIVAMENTE, DE CÁNCER Y DE MALFORMACIONES CONGÉNITAS Y OTROS DAÑOS AL SISTEMA REPRODUCTOR. Para más información, visite www.P65Warnings.ca.gov



IMPORTANT SAFETY WARNINGS

(Continued)

- CAUTION: Exposed metal dampers on air vents and/or metal handles are hot during usage. Again, always wear grill gloves when adjusting air flow to protect hands from burns.
- When opening lid, make sure it is pushed all the way back so it rests against the lid support brackets. Use extreme caution as hood could fall back to a closed position and cause bodily injury.
- Close lid and all dampers to help suffocate flame.
- Always hold an open lid from the handle to prevent it from closing unexpectedly.
- Never leave coals and ashes unattended. Before grill can be left unattended, coals and ashes must be removed. Use caution to protect yourself and property.
- Carefully place remaining coals and ashes in a noncombustible metal container and saturate completely with water. Allow coals and water to remain in a metal container for 24 hours prior to disposing.
- To protect against bacteria that could cause illness, keep all meats refrigerated and thaw in refrigerator or microwave. Keep raw meats separate from other foods, and wash everything that comes in contact with raw meat.
- Cook meat thoroughly, and refrigerate leftovers immediately.
- Use a calibrated food thermometer and the USDA guidelines to ensure that meat, poultry, seafood, and other cooked foods reach a safe minimum internal temperature.
- Always have a fire extinguisher near at all times. Maintain and check your fire extinguisher regularly.

THESE WARNINGS ALSO APPLY TO THE SIDE FIRE BOX.

REGISTER YOUR GRILL:

To take full advantage of the Char-Griller® warranty be sure to register your grill by visiting www.chargriller.com/pages/customer-support.

Registration provides important protections:

- 1. In the extremely unlikely event of a product recall Char-Griller® can easily contact you and rectify the issue.
- 2. If a warrantied part is broken or missing we can send you the needed parts promptly.

NOTE: You will need your model #, serial number, and a copy of the original sales receipt when registering.




Do NOT Return Product to Store.

This grill has been made according to the highest of quality standards. If you have any questions that are not addressed in this manual or if you need parts please call our Customer Service Department at www.chargriller.com/pages/customer-support and have your serial number handy.

Document Your Grill Model and Serial Numbers HERE:

(Model and Serial number are located on the back of the grill body or on the leg.)



IMPORTANT NOTICE: Read all instructions carefully before assembly and use. Read and understand all warnings and precautions before operating your grill.



WARRANTY INFORMATION

A COPY OF THE DATED PROOF OF PURCHASE (RECEIPT) IS REQUIRED WHEN REGISTERING OR SUBMITTING A WARRANTY* CLAIM. PLEASE RETAIN A COPY OF THE RECEIPT FOR YOUR RECORDS.

Char-Griller® will replace any defective part of its grillers/smokers, under warranty, as outlined below.

PLEASE READ THIS INFORMATION IN DETAIL AND IF YOU HAVE ANY QUESTIONS CONTACT CUSTOMER SERVICE AT www.chargriller.com/pages/customer-support.

Charcoal / Pellet / Kamado Grills				
Grill - Hood AND Bottom (excludes removable Ash Pan)	5 years from date of purchase for rust through / burn through			
Ash Pan AND Defective Parts	1 year from date of purchase			
Gas Grills				
Grill Hood (TOP half) AND Main Burner Tubes (excludes Side Burner)	5 years from date of purchase for rust through / burn through			
Grill Body (BOTTOM half) AND Side Burner AND Defective Parts	1 year from date of purchase			
Dual Fuel Grills (Gas & Charcoal)				
Charcoal Grill - Hood AND Bottom AND Gas Grill Hood (TOP half) AND Main Burner Tubes (excludes Ash Pan and Side Burner)	5 years from date of purchase for rust through / burn through			
Ash Pan AND Defective Parts AND Gas Grill Body (BOTTOM half) AND Side Burner	1 year from date of purchase			
Parts, Accessories, and Grill Covers	1 year from date of purchase (seam tears only for covers)			

SURFACE RUST IS NOT CONSIDERED A MANUFACTURING OR MATERIALS DEFECT

Char-Griller® grills are made of steel and if exposed to the elements rust will occur naturally. Please refer to the section entitled, "Usage" to review how to care for your grill properly.

Surface issues such as scratches, dents, corrosion or discoloring by heat, abrasive and chemical clearers, surface rust or the discoloration of steel surfaces are NOT covered under these warranties.


Warranties are for the replacement of defective parts only. Char-Griller® is not responsible for damage resulting from accident, alteration, misuse, abuse, hostile environments, improper installation, and installation not in accordance with local codes of service of unit.

Excluded Under ALL Warranties

Paint; Surface Rust; Heat Damage; Incorrect Parts ordered by customer, including shipping; Worn Parts; Missing or damaged parts not reported within two (2) months of purchase date; Defective parts not reported within one (1) year of purchase date; Fading grill cover.

*NOTE: For warranty claims, photos and prepaid return of the item in question may be required. Misuse, abuse or commercial use nullifies all warranties.


ASSEMBLY INSTRUCTIONS





PARTS LIST

Model 2190



PARTS LIST

Item	2190 QTY	Part Name			
1	1	GRILL HOOD			
2	1	WARMING RACK			
3	2	HOOD HINGES			
4	3	COOKGRATE			
5	1	CHARCOAL TRAY			
6	1	PLATE, FILLER			
7	1	GRILL BODY			
8	1	RIGHT DAMPER			
9	2	SIDE SHELF			
10	2	RIGHT SIDE SHELF BRACKET			
11	2	LEFT SIDE SHELF BRACKET			
12	2	WIRE HANDLE KNOB			
13	2	DAMPER WIRE HANDLE			
14	1	CRANK HANDLE INDICATOR SPIN			
15	1	CRANK HANDLE			
16	2	RIGHT LEG			
17	1	BOTTOM SHELF			
18	2	CASTER, 3"			
19	1	AXLE ROD			
20	2	8" WHEEL			
21	2	HUB CAP			
22	2	LEFT LEG			
23	1	GREASE TRAY HANDLE			
24	1	GREASE TRAY			
25	1	FRONT DOOR HANDLE			
26	1	FRONT DOOR, CAST IRON			
27	1	FRONT DOOR PLATE			
28	1	FRONT DOOR PIN, HINGE			
29	1	BOTTLE OPENER			
30	1	FRONT DOOR FRAME			
31	3	UTENSIL HOOK			
32	1	LEFT DAMPER			
33	2	LOWER ARM LIFTER, CRANK			
34	1	LIFTER ARM, CRANK, ASSEMBLY			
35	1	HOOD HANDLE			
36	2	HANDLE BEZEL			
37	1	LOGO PLATE			
38	1	THERMOMETER BEZEL			
39	1	THERMOMETER			
40	1	GRIP, HANDLE, SMOKESTACK			
41	1	SMOKESTACK			



HARDWARE AND TOOLS NEEDED

Assembly: Requires 2 people. Get another person to help. Tools Needed: Pliers, Phillips Head Screwdriver and a 7/16" Nut Driver.

NOTE: Do Not tighten any bolts unless instructed to do so. Tightening too soon may prohibit parts from fitting together. All Hex Nuts should be on the inside of the grill unless stated otherwise. Unpack all contents in a well cleared and padded area.

Estimated Assembly Time: 45 minutes


STOP! Do Not Return to Store. If you are missing parts or need assistance please email us at www.chargriller.com/pages/customer-support.

Hardware Pack: 551066


↔ } ••••	1/4-20x 1/2" HEX BOLT 31 PCS
	1/4-20x 1 1/2" HEX BOLT 2 PCS
© H	1/4" 20 HEX NUT 4 PCS
+ (=	M5 x 10mm MACHINE SCREW 3 PCS
	SMALL COTTER PIN 2 PCS
	LARGE COTTER PIN 3 PCS
5	UTENSIL "S" HOOK 3 PCS
	HUB CAP2 PCS
	M5 SHOULDER BOLT 8 PCS
	2/5" FLAT WASHER 2 PCS

ASSEMBLY

Step 1 Attach the LEFT LEG and RIGHT LEG to GRILL BODY using eight (8) $\frac{1}{4}$ -20 x $\frac{1}{2}$ " HEX BOLTS.




PARTS USED IN STEP:







Step 2 Attach BOTTOM SHELF to LEGS using four (4) $\frac{1}{4}$ -20 x $\frac{1}{2}$ " HEX BOLTS.



PARTS USED IN STEP:




Step 3Install one (1) FLAT WASHER, one (1) COTTER PIN, and one (1) HUB CAP onto AXLE, then slide AXLE through WHEELS and LEFT LEGS, as shown below. Finish by attaching 2nd FLAT WASHER, COTTER PIN, and HUB CAP. Attach two (2) CASTERS to RIGHT LEGS, as shown below.






B-8

Step 4Attach two (2) ½-20 x ½" HEX BOLTS to SIDE FIREBOX SUPPORT BRACKET.




Step 5 Attach FRONT DOOR HANDLE using one (1) $\frac{1}{4}$ -20 x $\frac{1}{2}$ " HEX BOLT.






Step 6


Attach LEFT and RIGHT DAMPERS to GRILL BODY using eight (8) M5 SHOULDER BOLTS. Then attach a DAMPER HANDLE to DAMPER using one (1) COTTER PIN, as shown below.



Step 7 Attach RIGHT SIDE SHELF BRACKET and LEFT SIDE SHELF BRACKET to SIDE SHELF using four (4) $\frac{1}{4}$ -20 x $\frac{1}{2}$ " HEX BOLTS. Do the same with the second set.




Step 8 Loosen top two (2) $\frac{1}{4}$ -20 x $\frac{1}{2}$ " HEX BOLTS on both sides of GRILL BODY attaching LEFT LEGS and RIGHT LEGS. Attach SIDE SHELVES onto GRILL BODY using four (4) $\frac{1}{4}$ -20 x $\frac{1}{2}$ " HEX BOLTS, as shown below.







Step 9Attach CRANK HANDLE to GRILL BODY using one (1) LARGE COTTER PIN.




Step 10Attach BOTTLE OPENER to GRILL BODY using two (2) 1/4-20 x 1/2" HEX BOLTS.



Step 11 Assemble GREASE TRAY HANDLE to GREASE TRAY using two (2) $\frac{1}{4}$ -20 x $\frac{1}{2}$ " HEX BOLTS. Then install GREASE TRAY/HANDLE ASSEMBLY to GRILL BODY.




PARTS USED IN STEP:






Step 12

Assemble HOOD HANDLE and HANDLE BEZELS to GRILL HOOD using two (2) LOCK WASHERS and two (2) WING NUTS. Then attach THERMOMETER and THERMOMETER BEZEL to GRILL HOOD. THERMOMETER inserts through BEZEL and then GRILL HOOD. Secure with FLAT WASHER and WING NUT.




Step 13Attach SMOKESTACK to GRILL HOOD, using three (3) M5 SCREWS.






Step 14

To install the WARMING RACK first attach the two (2) HEX BOLTS and two (2) HEX NUTS onto GRILL HOOD. Then position the WARMING RACK onto the HEX BOLTS and secure it with two more HEX NUTS. Insert SUPPORT ROD LEGS into designated holes located on GRILL BODY



Step 15Place COOKING GRATES in GRILL BODY then attach UTENSIL HOOKS to SIDE SHELF.





Fully Assembled



Hint: The paper label that is affixed to the hood is more easily removed when the hood is warm. Any remaining glue residue can be cleaned off with a spray lubricant like WD-40. Do NOT use any other type of solvent or cleaner because this will damage the finish/paint/coating on the grill.

OPERATING INSTRUCTIONS

Setting Up

Set grill up on solid, flat surface with adequate wind shelter. Do not move grill while hot, and do not leave unattended during operation.

This appliance is designed for use outdoors, away from any flammable materials. It is important that there are no overhead obstructions and that there is a minimum distance of 12 feet (3,65 m) from the side or rear of the appliance. It is important that the ventilation openings of the appliance are not obstructed. The barbecue must be used on a level, stable surface. The appliance should be protected from direct drafts and positioned or protected against direct penetration by any trickling water (e.g. rain).

** PLEASE NOTE: NO RETURNS ON USED GRILLS **

Seasoning and Preparing the Grill

IMPORTANT! BEFORE YOU USE YOUR GRILL FOR THE FIRST TIME YOU MUST SEASON THE CAST IRON COOKING GRATE(S).

Cure grill prior to your initial use to protect the interior and exterior finish, cooking grates, and to prevent unnatural flavors to your first meals.

- 1. Lightly coat ALL INTERIOR SURFACES (including grills, grates, and inside of barrel.) with vegetable oil (spray vegetable oil is easiest but do not use near hot coals or fire).
- 2. Build a medium sized fire on the **fire grate**. Always put charcoal on top of the fire grate and not directly into the bottom of the grill.
- 3. After coals ash over, spread out coals, replace cooking grates, close lid and heat at approximately 250 F for two hours.
- 4. Remove grates from the grill with oven mitts, allow to cool, then re-coat grates and return to grill at approximately 200° F for two hours.
- 5. You can lightly coat the exterior of the grill body (while warm) with vegetable oil. This will extend the life of the finish, much like waxing a car. Your grill is now ready for use.

NOTE: Grill will drip oil during this process and for several uses afterwards. This is normal.

NEVER EXCEED 400°F BECAUSE THIS WILL DAMAGE THE FINISH AND CONTRIBUTE TO RUST. PAINT IS NOT WARRANTED AND WILL REQUIRE TOUCH-UP. THIS UNIT IS NOT WARRANTED AGAINST RUST.



Lighting Instructions

- To start a charcoal fire, stack 50-60 briquettes in a pyramid and saturate with lighter fluid.
 NOTE: Do not use gasoline, kerosene or alcohol for lighting charcoal. Use of any of these or similar products could cause an explosion possibly leading to severe bodily injury.
- 2. Light coals in several places
- 3. After briquettes ash over or turn gray, spread them out and start cooking
- 4. If one end burns faster, use tongs to move coals from one end to the other for even heat.

Grill Operation & Tips

- Control heat with amount and type of fuel, Dual dampers, and adjustable fire grate. Adjust grate one end at a time. Wood burns hotter than coals. More airflow is more heat.
- To reduce flare-ups, cook with lid in the down position.
- Add water soaked hardwood chips for a smoked flavor.
- Ashes left in bottom too long hold moisture and will rust through any thickness of steel. This grill is made of steel and cast iron, which WILL RUST, ESPECIALLY IF NOT PROPERLY CARED FOR.
- Do not use self-starting charcoal as it will give unnatural flavor. Burn lighter fluid completely before closing lid.
- After each use, coat vegetable oil on the interior grates and bare metal while warm to reduce rust
- On the EXTERIOR, remove dust with wire brush and touch up with a high heat paint, available at most hardware/auto stores.
- You may place a coffee can on bottom shelf under the hole in the grill to catch drippings.
- Heat guage may obtain moisture, which will steam out during cooking. Gauge can be removed and calibrated in oven.
- You may fill unwanted holes with Nuts & Bolts (Not Provided).

NOTE: Smoke may escape from areas other than the smokestack. This should not affect cooking.

Finishing Up

When your are finished grilling you can shut down your grill by closing both dampers and allowing the fire to suffocate. Be patient. This make take an hour or more.

Emptying the Ashes & Ash Pan:

** ONLY EMPTY ASHES WHILE GRILL IS NOT IS USE **

After the fire is completely extinguished you should wait several hours before emptying the ashes to ensure they are not still hot and a burn hazard.

- 1. Knock any ashes that did not fall into the ash pan from the fire grate. (If there are pieces of partially burned charcoal on the fire grate you can save them for next time. They are still good).
- 2. Tap the sides of the fire bowl to knock loose any ash that is on the sides.
- 3. Unclip the ash pan from the bottom of the grill and slide out towards the front.
- 4. Give the ash pan a few firm taps to loosen any ash that may be stuck.
- 5. Place the ashes in a metal container and cover with water to ensure there are no lit coals then you can dispose of the ashes.


IMPORTANT: Charcoal is porous and holds moisture. DO NOT leave charcoal in your grill while you are not using it. Charcoal and ashes leftinside the ash pan may reduce the life of your grill.




This Page Intentionally Left Blank

GRILLING RECIPES

Know Your Cuts of Meat



PORK CUTS





Direct Heat

- Direct Heat is a high heat method used to cook foods that take less than 25 minutes to cook. Typically, this means foods that are relatively small or thin such as steaks, chops, boneless chicken breasts, fish fillets, hamburgers, etc.
- Cooking with a MEAT THERMOMETER ensures food is fully cooked. Insert into the thickest part not touching bone, and allow five minutes to register.
- Internal temperatures for FOWL should be 170°F to 180°F.
- Internal temperature for meat should be 140°F for rare, 160°F medium, and 170°F for well done.

STEAK (& ALL MEATS):

- Cook food on the charcoal side of the unit, directly above coals/heat.
- To grill meats, raise fire grate to high position (hot) and sear for one minute on each side with the lid
 open to seal in flavor and juices. Then lower fire grate to medium position with lid closed and cook
 to desired doneness.
- Control heat with dual dampers and adjustable fire grate.

Tip: Place grilled meat back in the marinade for several minutes before serving – it will become tastier and juicier.

CAUTION: Boil extra marinade first to kill bacteria remaining from the raw meat.

MARINATED FLANK STEAK:

- Mix marinade ingredients in nonmetal dish.
- Let steak stand in marinade for no less than 4 hours in refrigerator.
- Brown each side for 5 minutes, but center should remain rare.
- Cut steak diagonally across the grain into thin slices before serving.
- Grill with fire grate in high (hot) position with lid open or closed.

Meat Marinade

1/2 cup vegetable or olive oil
1/3 cup soy sauce
1/4 cup red wine vinegar
2 tbsp lemon juice
1 tsp dry mustard
1 minced clove garlic
1 small minced onion
1/4 tsp pepper

QUAIL OR DOVES:

- Cover birds in Italian dressing (Good Seasons or Kraft Zesty) and marinate overnight.
- Pour remaining dressing and cover with Texas Pete Hot Sauce for 6 hours.
- Wrap birds in thick bacon secured by a toothpick.
- Place on grill. Keep turning until bacon is black.

- Grill for 20 minutes. Sear with lid open and fire grate in high (hot) position for 1 minute on each side before lowering grate and closing lid.
- To SMOKE, place birds in center of GRID with fire in both ends of FIRE BOX.

KABOBS:

- Alternating on skewers any combination of meat, onions, tomatoes, green peppers, mushrooms, zucchini, circular slice of corn-on-the-cob, or pineapple. Meat could consist of chunks of shrimp, scallops, lobster, chicken, sausage, pork, beef, etc.
- Marinate the meat in refrigerator for several hours.
- Grill each side approximately 7 minutes turning occasionally while basting with marinade. Leave a small amount of room between pieces in order to cook faster.
- Grill with lid up and the fire grate in the lowest position. See marinade recipe on last page.

Kabob Marinade:

1 cup soy sauce

½ cup brown sugar

½ cup vinegar

½ cup pineapple juice

2 tsp salt

½ tsp garlic powder

- Mix all ingredients in a saucepan and bring to boil.
- · Allow marinade to cool before marinating your meat in it.
- Marinate beef in mixture a minimum of 4 hours.

HOT DOGS:

- Grill with lid up and fire grate in high (hot) position for approximately 6 minutes.
- Turn every few minutes.

HAMBURGERS:

See Meat Marinade on prior pages.

You may also marinate by allowing to stand in marinade for 1 or 2 hours at room temperature before cooking, or let stand in covered dish in refrigerator up to 24 hours.

- Bring to room temperature before cooking.
- Mix in chopped onions, green peppers, salt, sear 3/4 inch patties on each side with fire grate in high position for a few minutes.
- Lower fire grate to medium position and grill with lid down to avoid flare-ups.
- Cook each side 3 to 7 minutes according to desired doneness.
- Cook ground meat to 150 internally or until juice runs clear (free of blood) for prevention of E-coli.
- Burgers can be basted with marinade when turning and/or other ingredients can be mixed in with the ground beef such as chili sauce or powder.



SHRIMP (Peeled) & CRAYFISH:

- Place on skewers.
- Coat with melted butter and garlic salt.
- Grill 4 minutes on each side or until pink. Cocktail sauce optional.

BAKED POTATOES:

- Rub with butter and wrap in foil and cook on grill with lid down for 50 minutes.
- Turn after 25 minutes (no need to turn if smoked).
- · Squeeze to check for doneness.

SWEET CORN IN HUSKS:

- Trim excess silk from end and soak in cold salted water 1 hour before grilling.
- Grill 25 minutes turning several times.

SMOKING RECIPES Indirect Heat

SMOKING TI	MES			←	
Food	Weight	Water Pan Smokin'	Side Fire Box	Temperature on Meat Thermometer	
Beef Roasts, Beef Brisket	3 – 4 lbs.	1 – 1 ¹ / ₂ hours	4 – 5 hours	140° rare	
Lamb Roasts, Venison	5 – 7 lbs.	13/4 - 21/2 hours	5 – 6 hours	160° medium	
Large cuts of Game	7 – 9 lbs.	21/2 - 31/2 hours	7 - 10 hours	170° well done	
Pork Roasts	3 – 4 lbs.	13/4 - 21/2 hours	5 - 6 hours	170°	
	5 – 8 lbs.	21/2 - 3 hours	7 - 8 hours	170°	
Pork/ Beef Ribs	Full grill	1 ¹ / ₂ – 2 hours	4 - 6 hours	Meat pulls from bone	
Pork Chops	Full grill	3/4 - 11/4 hour	4 – 6 hours	Meat pulls from bone	
Sausage Links	Full grill	2 - 23/4 hours	4 - 5 hours	170° for fresh sausage	
Ham, Fresh	10 lbs.	3 – 4 hours	7 – 8 hours	170°	
Ham, Cooked	All sizes	1 ¹ / ₂ – 2 hours	3 - 4 hours	130°	
Chicken (Cut up or split)	1-4 fryers, cut up or split	1 - 11/4 hours	4 - 5 hours	180° / leg moves easily in joint	
Chicken (Whole)	1-4 fryers	1 ¹ / ₄ - 1 ¹ / ₂ hour	5 – 6 hours	180° / leg moves easily in joint	
Turkey (Unstuffed)	8 – 12 lbs.	13/4 - 21/2 hours	7 - 8 hours	180° / leg moves easily in joint	
Fish, small whole	Full grill	1/2 - 3/4 hours	2 - 3 hours	Flakes with fork	
Fish, filets, steak	Full grill	1/4 - 1/2 hours	1 - 3 hours	Flakes with fork	
Duck	3 – 5 lbs.	1 - 13/4 hours	5 – 6 hours	180° / leg moves easily in joint	
Small game birds	Full grill	3/4 - 1 hour	4 - 5 hours	180° / leg moves easily in joint	

Pan not included. Disposable bread pan is recommended. SMOKE BY COOKING SLOWLY (See chart above).

- 1. Place water/drip pan on left side of fire grate.
- 2. Place hot coals on right side (damper end) of fire grate. The charcoal basket accessory helps confine coals to one side.
- 3. Place meat above water pan.
- 4. Place fire grate in low position.
- 5. Close lid & control heat with dampers & adjustable grate.
- You may want to sear certain foods before smoking by placing meat directly above coals with LID
 open and FIRE GRATE in high (hot) position for several minutes. Add flavor soaked wood chips to
 the fire and add 1 part marinade, beer, or wine to 3 parts water to the drip pan.
- OPENING THE SMOKING CHAMBER WILL EXTEND COOKING TIME. Cooking with meat
 thermometer ensures food is fully cooked. Insert thermometer into thickest part not touching bone,
 and allow five minutes to register. Internal temperature for birds should be 170°F to 180°F or when
 leg moves easily in joint. Meat should be cooked to internal temperature of 140°F for rate, 160°F for
 medium and 170°F for well done. Check the water level when cooking more than 4 hours or when
 you can't hear the water simmering. Add water by moving meat over and pouring water through
 GRILL into WATER PAN.
- IF THE SMOKE IS WHITE, THE FIRE'S RIGHT. IF THE SMOKE IS BLACK, ADD SOME DRAFT.

SMOKED TURKEY:

- Empty cavity rinse and pat dry with paper towel.
- Tuck wing tips under the back and tie legs together.
- Place in center of cooking grid directly above foil drip pan of water.
- Smoke for 12 minutes per pound. Allow several extra minutes per pound if stuffed to allow for expansion.
- Use a meat thermometer for best results (190F internal).

SMOKED BAKED HAM:

You can smoke fully cooked canned ham or smoked and cured whole ham or shank or butt portion.

Glaze

1 cup of light brown sugar, firmly packed 1/2 cup orange juice 1/2 cup honey

- Combine sugar, juice and honey. Let glaze sit for at least 4 hours.
- Place fire grate in the lowest position and a drip pan under the meat.
- · Remove rind and score fat diagonally to give a diamond effect.
- Insert a whole clove into the center of every diamond.
- Place ham with fat side up in center of cooking grid directly above drip pan. Close lid.
- About 9 minutes per pound is suggested for fully cooked hams. Smoked or cured ham, which is not fully cooked, should be cooked to an internal temperature of 160°F.



- Baste with ham glaze 3 or 4 times during last 30 minutes of cooking time.
- Garnish with pineapple rings about 15 minutes before end of cooking time.

SMOKED HOT DOGS STUFFED:

- Slit hot dogs lengthwise, within 1/4 inch of each end.
- Stuff hot dogs with cheese and relish and wrap in bacon.
- Place on cooking grid over drip pan and smoke 15-20 minutes or until bacon is crisp.

SMOKED CHICKEN PARTS AND HALVES:

- Rinse pieces in cold water and pat dry with paper towels.
- Brush each piece with vegetable oil and season to taste with salt and pepper.
- Brown pieces directly above coals with lid open and grate in high or medium position for several minutes.
- Then place pieces on cooking grate directly above drip pan.
- With the grate in the low position, cook with lid down for 55 to 60 minutes or until done. Do not use vegetable oil or salt and pepper if using marinade.

SMOKED VENISON:

Venison Marinade:

1 cup Balsamic or wine vinegar 1 cup olive oil 2 oz. Worcestershire

1/2 oz. Tabasco

2 tbsp. Season All

1-2 chopped jalapenos

3 oz. soy sauce

Bacon Marinade

2 oz. wine vinegar

2 oz. Worcestershire

4 dashes Tabasco

- Place leg of venison in a container or "hefty bag" and marinate for 2-4 days, turning daily. Marinate bacon overnight in its marinade.
- Remove roast from refrigerator at least an hour before cooking.
- Season generously with seasoned salt and coarse ground black pepper.
- Wrap 1 lb. Bacon over the top of the roast, and smoke 20/25 minutes per pound, or until tender. Do not overcook.

SMOKED SHRIMP & CRAYFISH:

Mix in a foil pan 1/2 cup butter, two cloves of crushed garlic, Tabasco, sliced green pepper, 1 tablespoon each of minced onions, salt and juices from one lemon.



Add shrimp and/ or crayfish and smoke 45 minutes.

SMOKED VEGETABLES:

- Turnips, potatoes, carrots, okra, mushrooms, peeled onions, zucchini, squash, etc.
- Put in pan and cover with water and cook for several hours while cooking the meat. Or place vegetables on grill and smoke for 50 minutes, either wrapped in foil or not.

SMOKED FISH:

- Marinate in brine (1/4 cup dissolved in 1 qt of water) or marinate fish in 1 cup white wine, 1 cup soy sauce mixed with 1 cup lemon juice.
- · Marinate overnight in covered dish in refrigerator.
- · Let air on rack 20 minutes before placing on Pam-sprayed grill.
- Smoke 25 minutes.

SMOKED SPARE/BACK RIBS:

- · Peel off tough layer of skin on back side.
- · Rub all surfaces with seasoning.
- Place ribs in center of grid above drip pan and smoke approximately 1 1/2 hours or until meat pulls away from bone.
- Baste with barbecue sauce during last 30 minutes.

CHICKEN MARINADE:

Combine

1/2 cup soy sauce

1/4 cup vegetable oil

1/4 cup red wine vinegar

1 teaspoon oregano

1/2 teaspoon sweet basil

1/2 teaspoon garlic powder with parsley

1/4 teaspoon pepper

- Pour over chicken pieces in non-metal dish
- Cover and refrigerate overnight, turning occasionally. Use marinade to baste chicken while cooking.

MEAT MARINADE: (For steaks, chops, and burgers)

Combine

1/4 cup soy sauce 2 coarsely chopped large onions 2 cloves garlic (halved)

• Combine ingredients in an electric blender, cover, and process at high speed 1 minute or until



mixture is very smooth.

- Stir in 1/4 cup bottle gravy coloring (Kitchen Bouquet and Gravy Master) and 2 teaspoons Beau Monde seasoning (or substitute 1 teaspoon MSG and 1 teaspoon seasoned salt).
- Allow meat to stand in marinade at room temperature for 2 hours or refrigerate up to 24 hours in a covered dish.
- Bring meat to room temperature before cooking.

SHISH KABOB MARINADE:

Mix

1 cup soy sauce1/2 cup brown sugar1/2 cup vinegar1/2 cup pineapple juice2 teaspoons salt1/2 teaspoon garlic powder

- Mix ingredients and bring to a boil.
- Marinate beef in mixture a minimum of 4 hours.

ACCESSORIES

Cover Custom Fit

Weather Resistant
Protects Grill Finish
Cover Accommodates Side
Shelf or Side Fire Box




Side Fire Box

Turn your charcoal grill into an authentic Texas-Style Offset Smoker in minutes! Warming Rack Increase Grill Area Keeps Food Warm



Charcoal Basket

Confines Coals to One Side for Smoking Indirect Cooking





Quick Release Chimney Starter


E-Z starter with patented Trigger release ABS handle with heat shield Zinc coated galvanized steel Makes starting charcoal grill fast and easy



Apron
Machine Washable
Two Front Pockets
Adjustable Straps

Porcelain-Coated Cooking Grates

Easy to Clean
Excellent Insulation
Durable





This Page Intentionally Left Blank

For pricing or to order accessories visit:

www.CharGriller.com



Char Griller®
Premier Specialty Brands, LLC,
5367 New Peachtree Road, Suite 150,
Chamblee, GA 30341
www.chargriller.com/pages/customer-support